



## SAFETY DATA SHEET

### Tuskbond FC17 Fabric Cleaner Aerosol

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Tuskbond FC17 Fabric Cleaner Aerosol

**Container size** 500ml

**EU REACH registration notes** All chemicals used in this product have been registered under REACH where required.

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Solvent Cleaner Use only as directed.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Apollo Chemicals Ltd.  
Amington Industrial Estate  
Sandy Way  
Tamworth  
Staffordshire  
B77 4DS  
Tel: +44 (0)1827 54281  
Fax: +44 (0)1827 53030  
Email: msds.request@hbfuller.com

H.B. Fuller, Isar-Rakoll, S.A. (EU)  
Estrada Nacional 13  
PT-4486-851 Mindelo - Vila do Conde  
Tel: +351 229 288 200  
Email: EU-MSDS@hbfuller.com

##### 1.4. Emergency telephone number

**Emergency telephone** +44 01827 69662 (not 24hrs - 8am-5pm Mon-Fri)

**National emergency telephone number** National Poisons Information Service (UK): 0844 892 0111 (healthcare professionals only)  
NHS: 111 (members of the public)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (SI 2019 No. 720)

**Physical hazards** Aerosol 1 - H222, H229


**Health hazards** Eye Irrit. 2 - H319 STOT SE 3 - H336

**Environmental hazards** Not Classified

##### 2.2. Label elements

## Tuskbond FC17 Fabric Cleaner Aerosol

### Hazard pictograms



### Signal word

Danger

### Hazard statements

H222 Extremely flammable aerosol.  
 H229 Pressurised container: may burst if heated.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

### Precautionary statements

P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/ attention.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 P501 Dispose of contents/ container in accordance with national regulations.

### Contains

ISOPROPANOL

### Supplementary precautionary statements

P261 Avoid breathing spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P403+P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>ISOPROPANOL</b> CAS number: 67-63-0                      EC number: 200-661-7	<b>60-100%</b>
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	
<b>PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (&lt;0.1% 1,3 BUTADIENE)</b> CAS number: 68476-85-7                      EC number: 270-704-2	<b>30-60%</b>
<b>Classification</b> Flam. Gas 1A - H220 Press. Gas (Liq.) - H280	

The full text for all hazard statements is displayed in Section 16.

## Tuskbond FC17 Fabric Cleaner Aerosol

**Composition comments** Liquefied petroleum gases (CAS: 68476-85-7) contains less than 0.1% w/w 1,3-butadiene, meaning that the full harmonised classification regarding Muta. 1B H340 and Carc. 1A H350 does not apply. This product does not contain nanoforms.

**Ingredient notes** Where required, the acute toxicity estimate (ATE) for any substance is listed in Section 11.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.

**Ingestion** Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.

**Skin contact** Use suitable lotion to moisturise skin. Get medical attention if irritation persists after washing.

**Eye contact** Continue to rinse for at least 15 minutes and get medical attention. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Vapours may cause headache, fatigue, dizziness and nausea.

**Ingestion** May cause nausea, headache, dizziness and intoxication. If large quantities are involved: Central nervous system depression. Stomach pain.

**Skin contact** May cause skin irritation/eczema. Repeated exposure may cause skin dryness or cracking.

**Eye contact** Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** Water spray, foam, dry powder or carbon dioxide. Cool containers exposed to flames with water until well after the fire is out.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back. May explode when heated or when exposed to flames or sparks. Bursting aerosol containers may be propelled from a fire at high speed.

**Hazardous combustion products** Oxides of carbon.

#### 5.3. Advice for firefighters

**Protective actions during firefighting** Use water to keep fire exposed containers cool and disperse vapours. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

## Tuskbond FC17 Fabric Cleaner Aerosol

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8.

**For non-emergency personnel** For the greatest protection, clothing should include anti-static overalls, boots and gloves.

**For emergency responders** For the greatest protection, clothing should include anti-static overalls, boots and gloves.

### 6.2. Environmental precautions

**Environmental precautions** Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Eliminate all sources of ignition. Contain spillage with sand, earth or other suitable non-combustible material. Collect and dispose of spillage as indicated in Section 13. Provide adequate ventilation. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Provide adequate general and local exhaust ventilation.

**Advice on general occupational hygiene** Good personal hygiene procedures should be implemented.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry and cool place. Keep container in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Storage class** Flammable Gas

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### **ISOPROPANOL**

Long-term exposure limit (8-hour TWA): WEL 999 mg/m<sup>3</sup> 400 ppm

Short-term exposure limit (15-minute): WEL 1250 mg/m<sup>3</sup> 500 ppm

##### **PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

#### **ISOPROPANOL (CAS: 67-63-0)**

##### **DNEL**

Consumer - Oral; Long term systemic effects: 26 mg/kg  
 Workers - Dermal; Long term systemic effects: 888 mg/kg  
 Consumer - Dermal; Long term systemic effects: 319 mg/m<sup>3</sup>  
 Consumer - Inhalation; Long term systemic effects: 89 mg/m<sup>3</sup>  
 Workers - Inhalation; Long term systemic effects: 500 mg/m<sup>3</sup>

## Tuskbond FC17 Fabric Cleaner Aerosol

### PNEC

- Fresh water; 140.9 mg/l
- Sediment (Freshwater); 552 mg/kg
- Intermittent release; 140.9 mg/l
- Sediment (Marinewater); 552 mg/kg
- marine water; 140.9 mg/l
- STP; 2251 mg/l
- Soil; 28 mg/kg

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Personal protection

Wear protective clothing.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn. Provide eyewash station.

#### Hand protection

Nitrile rubber. >360 min The selected gloves should have a breakthrough time of at least 2 hours. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated.

#### Hygiene measures

Good personal hygiene procedures should be implemented. When using do not eat, drink or smoke.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked.  
Short term Gas filter, type AX.

#### Thermal hazards

Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin.

#### Environmental exposure controls

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Data lacking.
pH	pH (concentrated solution): 7

## Tuskbond FC17 Fabric Cleaner Aerosol

<b>Melting point</b>	No information required.
<b>Initial boiling point and range</b>	Liquefied petroleum gases: -40 to -2°C Isopropanol: 82°C
<b>Flash point</b>	A flash point method is not available but the major hazardous component, the liquefied petroleum gases, has a flash point of <-60°C with flammability limits of 10.9% vol. upper and 1.4% vol. lower.
<b>Evaporation rate</b>	Not available.
<b>Evaporation factor</b>	Not available.
<b>Flammability (solid, gas)</b>	No information required.
<b>Upper/lower flammability or explosive limits</b>	Not available.
<b>Other flammability</b>	No specific test data are available.
<b>Vapour pressure</b>	2 - 5 bar @ 20°C
<b>Vapour density</b>	Not available.
<b>Relative density</b>	Isopropanol: 0.79
<b>Bulk density</b>	Not applicable.
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Liquefied petroleum gases: 365°C
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	Isopropanol: <5 mm <sup>2</sup> /s @ 20°C
<b>Explosive properties</b>	In use may form flammable/explosive vapour-air mixture.
<b>Explosive under the influence of a flame</b>	Yes In use may form flammable/explosive vapour-air mixture.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.
<b><u>9.2. Other information</u></b>	
<b>Particle size</b>	No information required.
<b>Volatile organic compound</b>	This product contains a maximum VOC content of 100 %.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** Stable at normal ambient temperatures and when used as recommended.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Under normal conditions of storage and use, no hazardous reactions will occur.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight. Heat, sparks, flames.

## Tuskbond FC17 Fabric Cleaner Aerosol

### 10.5. Incompatible materials

**Materials to avoid** Oxidising agents. Acids. Alkalis.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**Summary** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Summary** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Summary** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Summary** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Summary** Causes serious eye irritation.

#### Respiratory sensitisation

**Summary** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Summary** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Summary** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Summary** Based on available data the classification criteria are not met.

#### Reproductive toxicity

**Summary** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**Summary** May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

**Summary** Based on available data the classification criteria are not met.

#### Aspiration hazard

**Summary** Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

**11.2.1. Endocrine disrupting properties** There are no adverse health effects caused by endocrine disrupting properties.

**11.2.2. Other information** No information available.

### Toxicological information on ingredients.

## Tuskbond FC17 Fabric Cleaner Aerosol

### ISOPROPANOL

#### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 5,045.0

Species Rat

ATE oral (mg/kg) 5,045.0

#### Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 12,800.0

Species Rabbit

ATE dermal (mg/kg) 12,800.0

#### Acute toxicity - inhalation

Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l) 30.0

Species Rat

ATE inhalation (vapours mg/l) 30.0

#### Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

#### Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

#### Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

#### Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

#### Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

STOT - single exposure May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

## Tuskbond FC17 Fabric Cleaner Aerosol

### Aspiration hazard

**Aspiration hazard** Not anticipated to present an aspiration hazard, based on chemical structure.

### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)

**Toxicological effects** Information given is based on data of the components and of similar products.

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Not applicable.

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Not applicable.

### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> >20 mg/l, Inhalation, Rat

### Skin corrosion/irritation

**Skin corrosion/irritation** Not irritating.

### Serious eye damage/irritation

**Serious eye damage/irritation** Not irritating.

### Respiratory sensitisation

**Respiratory sensitisation** Not sensitising.

### Skin sensitisation

**Skin sensitisation** Not sensitising.

### Germ cell mutagenicity

**Genotoxicity - in vitro** This substance has no evidence of mutagenic properties.

### Carcinogenicity

**Carcinogenicity** Carcinogenicity in humans is not expected.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Does not contain any substances known to be toxic to reproduction.

### Specific target organ toxicity - single exposure

**STOT - single exposure** A single exposure may cause the following adverse effects: Overexposure to organic solvents may depress the central nervous system, causing dizziness and intoxication and, at very high concentrations, unconsciousness and death.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### **Inhalation**

May cause respiratory system irritation.

## Tuskbond FC17 Fabric Cleaner Aerosol

**Skin contact** Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin.

**Route of exposure** Inhalation Skin and/or eye contact

### SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

#### Ecological information on ingredients.

##### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)

**Ecotoxicity** Information given is based on data of the components and of similar products.

#### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

#### Ecological information on ingredients.

##### ISOPROPANOL

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 48 hours: >100 mg/l, Leuciscus idus (Golden orfe)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: >100 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: >100 mg/l, Scenedesmus subspicatus

##### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)

**Toxicity** Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. Highly volatile.

#### 12.2. Persistence and degradability

**Persistence and degradability** The product is readily biodegradable.

#### Ecological information on ingredients.

##### ISOPROPANOL

**Persistence and degradability** The product is readily biodegradable.

##### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)

**Persistence and degradability** The product is readily biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available.

**Partition coefficient** Not available.

#### Ecological information on ingredients.

##### ISOPROPANOL

## Tuskbond FC17 Fabric Cleaner Aerosol

**Bioaccumulative potential** Bioaccumulation is unlikely.

**Partition coefficient** log Pow: 0.05

### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)

**Bioaccumulative potential** Bioaccumulation is unlikely.

#### 12.4. Mobility in soil

**Mobility** No data available.

#### Ecological information on ingredients.

##### ISOPROPANOL

**Mobility** Mobile. Soluble in water.

**Surface tension** 22.7 mN/m

### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current UK criteria.

#### Ecological information on ingredients.

##### ISOPROPANOL

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS (<0.1% 1,3 BUTADIENE)

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**12.6. Endocrine disrupting properties** There are no adverse effects on the environment caused by endocrine disrupting properties.

**12.7. Other adverse effects** None known.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**General information** Ensure containers are empty before discarding (explosion risk). Must not be disposed of together with household waste.

**Disposal methods** Do not puncture or incinerate, even when empty. Avoid the spillage or runoff entering drains, sewers or watercourses. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

**Waste class** Full or Partially Empty Aerosol: 16 05 04, Empty Aerosol: 15 01 10 (Containing hazardous residues), Empty Aerosol: 15 01 04 (No hazardous residues).

## Tuskbond FC17 Fabric Cleaner Aerosol

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

#### 14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

#### Transport labels



#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant  
No.

#### 14.6. Special precautions for user

IMDG Code segregation group	SG69, SW1, SW22
EmS	F-D, S-U
ADR transport category	2
Emergency Action Code	•3YE
Tunnel restriction code	(D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## Tuskbond FC17 Fabric Cleaner Aerosol

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Health and Safety Executive (HSE)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Classification procedures according to SI 2019 No. 720</b>	Aerosol 1 - H222, H229: Weight of evidence. Eye Irrit. 2 - H319, STOT SE 3 - H336: Calculation method.
<b>Issued by</b>	Technical Department
<b>Revision date</b>	26/10/2023
<b>Revision</b>	6.2
<b>Supersedes date</b>	10/09/2021
<b>SDS number</b>	22086
<b>Hazard statements in full</b>	H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.